

Atopic Dermatitis Patient Enrollment and Prescription Form

P: 1-844-443-6879 F: 1-844-329-2447

ePrescribe to our pharmacy at "GENTRY HEALTH SERVICES" in Avon Lake, Ohio.

PATIENT INFORMATION	PRESCRIBER INFORMATION
Patient Name	Prescriber's Name
DOB// SSN Gender	
Weight Phone	
Address	
City, State, Zip	
Cell Phone E-Mail PLEASE PROVIDE COPY OF PATIENT'S PRESCRIPTION INSURANCE CARD WITH ENROLLMENT FORM	-
PLEASE PROVIDE COPY OF PATIENT'S PRESCRIPTION INSURANCE CARD WITH ENROLLMENT FORM	Office Contact Person
Insurance Co. Name	
Insurance Co. Phone Group#	
Policy Holder Name	With my signature on this form, I also authorize use of Gentry Health's Services which includes serving as my prior authorization designated agent in dealing with
Policy Holder Employer	
Relationship to Patient	m il ai i
ID# RxBIN PCN	Ship to: Patient Prescriber's Office Discount Drug Mart
	ART NOTES FOR INSURANCE PURPOSES
Medical Information (DO NOT COMPLETE IF CHART NOTES ARE PR	
Diagnosis ICD-1	
Date of Diagnosis Body Surface Affected: _	
☐ Patient has moderate to severe atopic dermatitis (AD) that is in	adequately
controlled on prior or current topical therapy	1を見れ (4) 1/11し/
Drug Allergies Latex Alle	rgy? □YES □NO
Failed Prior therapies?	171.11 (1 /78:26)
☐ Topical Corticosteroids:	11/2=117 11/21/1
	to
☐ Topical therapy not appropriate	
	PAN (IS) PAN
Reason:	
□ Systemic Corticosteriods, Immunosupressants and/or Phototherapy:	
	(A) 1 11 VIII
	~ ~
	to Affected Areas:
Systemic corticosteroids not appropriate	□ Scalp □ Groin □ Nails □ Face
☐ Immunosuppressants not appropriate	Other:
☐ Phototherapy not appropriate	
Reason:	NO.
Additional Comments	JNO
PRESCRIPTION INFORMATION	(please indicate days supply if different than suggested days supply)
□ Cibinqo TM (abrocitinib) □ 50mg Tablet □ 100 m	-
Directions: Take 1 tablet daily	Qty: 30 tablets Refills
□ Dupixent® (dupilumab) □ 300 mg/2 mL Pre-filled Syring	ge □ 300 mg/2 mL Pre-filled Pen
☐ STARTER DOSE: 600MG SQ at week 0, 300MG SQ at	t weeks 2 & 4 Quantity: <u>4 Syringes</u> Refills
☐ MAINTENANCE DOSE: 300MG SQ once every 2 week	s Quantity: <u>2 Syringes</u> Refills
□ OPZELURA™ 1.5% Cream 60 GM Tube	
Directions: Apply thin layer twice daily to affected areas (up to 20% BSA) MAX 60 gm/wk. Qty: tube(s) Refills	
□ Rinvoq® (upadacitinib) □ 15mg ER Tablet □ 30mg ER Tablet	
Directions: Take 1 tablet daily Qty: 30 tablets Refills	